Breastfeeding Module Post Test

Answer Key

(1 point each)	1.	True 11. True
	2.	True 12. True
	3. 4.	True 13. True False 14. False
	5.	True 15. True
	6.	False 16. True
	7.	False 17. True
	8.	False 18. True
	9.	True 19. True
	10.	True 20. False
(2 points)	21.	production & the release of milk
(2 points)	22.	8 to 12 & 1½ to 3
(1 point)	23.	Colostrum
(2 points)	24.	4½ & 2
(2 points)	25.	3 & 6
(2 points)	26.	Place in the refrigerator until thawed, or gently shake the bag/bottle while holding it under warm tap water.
(4 points)	27.	a, b, d, f
(4)		
(4 points)	28.	a, b, c, e
(4 points) (1 point)	28.29.	a, b, c, e c
(1 point)	29.	c
(1 point) (4 points)	29. 30.	c a, b, d, e
(1 point) (4 points) (4 points)	29.30.31.	c a, b, d, e a, b, d, f
(1 point) (4 points) (4 points) (3 points)	29.30.31.32.	c a, b, d, e a, b, d, f b, b, c
(1 point) (4 points) (4 points) (3 points) (4 points)	29.30.31.32.33.	c a, b, d, e a, b, d, f b, b, c a, b, c, d

(4 points)

37. a, b, c, e

(4 points) 38. a, b, c, e (3 points) 39. • Breastfeeding can offer protection from disease and infections • Breast milk is nutritionally superior to any formula • Breast milk is easy to digest, rarely is there constipation or diarrhea • Breast milk is less allergenic • Breastfed babies are less likely to be overfed • Breastfeeding enhances jaw and tooth development • Breastfeeding contributes to optimal brain development (3 points) 40. • Breastfeeding is more convenient • Breastfeeding promotes relaxation • Breastfeeding causes less stress for mom • Breastfeeding increases self-esteem • Special bonding • Mother's uterus returns to normal more quickly and helps with weight loss • May protect against some cancers (breast and ovarian) • More economical • Decreases risk of developing osteoporosis (2 points) 41. a. Nurse before and after work or school. Hand express, or use a pump to express, and store milk for next day. b. Find a sitter close to work or school. Go to the baby or have baby brought to mom for feedings. Also have sitter feed formula. c. Nurse before and after work or school and provide supplemental formula during her absence. 42. a. cradle (6 points) easy, convenient b. lying down good for C-section deliveries or moms who want to rest while nursing C-sections, premature babies, large breasts, twins, c. football hold flat or inverted nipples (2 points) 43. Ages are 2-3 weeks, 6 weeks, 3 months Encourage mom to nurse more liberally and on demand for several days and her breasts will begin to produce more milk. (3 points) 44. • Breastfeeding within one hour after delivery • Nursing frequently from birth, 8-12 times per day • Nurse on one or both breasts at each feeding · Breastfeed on demand • Room-in with baby • Don't limit nursing time • Avoid bottles or water or formula Avoid nipple shields and pacifiers To call her doctor. (1 point) 45. First acknowledge Lacy's feelings about embarrassment. Let her know (3 points) 46.

that many women feel uncomfortable with breastfeeding at first.

<u>Then educate:</u> After a while many women begin to feel more comfortable with breastfeeding. Breastfeeding can be done discreetly with a little practice. Let her know that if she is still uncomfortable, she can always use a private room or use a bottle when she is in public.

(6 points) 47. a. electric Mother needs to increase her milk supply.

Mother's returning to work or school full-time or

part-time

Infant unable to nurse because of prematurity or medical problem, latch-on problems, mastitis, Mother taking contraindicated medications Mom/infant separation, twins, triplets

b. manual Relieving engorgement, healing cracked or sore

nipples, short interruption of breastfeeding, weaning, short duration or infrequent use

situations

c. battery-operated Mother's working part-time, relieving engorge-

ment, healing sore or cracked nipples, short interruptions of breastfeeding, weaning an infant

bicycle horn – not recommended